

## **Code for Model 2A: First Responders' willingness to triage patients with radioactive contamination**

```
breed [doctors doctor]           ;; designates the first responder agents  
breed [civilians civilian]       ;; designates the civilian agents
```

```
;; designates variables which the first responder agents possess
```

```
doctors-own [  
  my-neighbors  
  nearest-neighbor  
  flockmates  
  mineRadiationTolerance  
  triage-willing  
]
```

```
;; designates variables which the first responder agents possess
```

```
civilians-own [  
  health  
  triage-status  
  mineRadiationTolerance  
]
```

```
;; in this model patches are not assigned specific variables
```

```
patches-own [  
]
```

```
to setup  
  clear-all  
  reset-ticks  
  setup-patches  
  setup-doctors  
  setup-civilians  
end
```

```
;; this command series determines the visual characteristics of the first responder agents and restricts generation of only one agent per patch area also determines the "mineradiationtolerance" numerical value representative of the assigned personal perception radiation risk
```

```
to setup-doctors  
  set-default-shape doctors "person doctor"  
  ask n-of initial-number-FirstResponders  
  patches with [ pcolor = 45 ]  
  [ sprout-doctors 1 ]
```

```
ask doctors [  
  set color green  
  set triage-willing 0           ;; this sets a base value for the "triage-willing variable" at 0 (baseline)  
  set mineRadiationTolerance random-poisson 2.5
```

```
  if mineRadiationTolerance < 1  
    [set mineRadiationTolerance 1]  
  if mineRadiationTolerance > 5  
    [set mineRadiationTolerance 5]  
  ]  
end
```

;; this command series determines the visual characteristics of the civilian agents and restricts generation of only one agent per patch area

```
to setup-civilians  
  set-default-shape civilians "person"  
  ask n-of initial-number-civilians  
  (patches with [pxcor < -10 ])  
  [ sprout-civilians 1 ]
```

```
ask civilians [  
  set color blue  
  set mineRadiationTolerance 0           ;; this sets a base value for the "triage-willing variable" at 0  
  set health random-Poisson 50         ;; this sets the range for the "health" variable of civilian agents  
  set triage-status .1                 ;; this sets the "triage-status" variable at .1 (baseline)  
  ]  
end
```

;;this command series determines the background setup of the model and includes a series of commands affecting patches

```
to setup-patches  
  ask patches [  
    set pcolor 69  
    set plabel-color black  
    ask patch 35 28 [set plabel "Triage Area"]  
    setup-triageEnd  
    setup-triage_area  
  ]  
end
```

```
to go  
  move-civilians  
  move-doctors
```

```
health_status
triage
end_triage
leave-the-model
check-death
tick
end
```

```
;;this directs movement of the civilian agents- it first tells them to orient their movement toward the
right side of the model
;;if they form a link they must stop movement
;; if their "health" variable is >= 75 it tells them to move to the right along the path of patches colored
white and if their "health" variable
;;is < 75 they are directed to stop and wait at the right side of the model
```

```
to move-civilians
  ask civilians [
    face min-one-of patches with [ pcolor = 45.1 ] [ distance myself ]
    if any? my-links [stop]
    if health >= 75
      [set heading towards min-one-of patches with [ pcolor = 49] [distance myself]]
    if health >= 75 and [pcolor] of patch-here = 49
      [set heading towards min-one-of patches with [pcolor = 45.1] [distance myself]]
    if health < 75 and pxcor = 36 [stop]
    forward .1
  ]
end
```

```
;;this directs first responder agents to move in random motion within a constrained area and to stop
movement when they form a link with another agent
```

```
to move-doctors
  ask doctors [
    if any? my-links [stop]
    right random 5 forward .03
  ]
end
```

```
;;this tells the agents to communicate the mean mineRadiationTolerance variable to each other
```

```
to-report average_mineRadiationTolerance
  let myRT mean [mineRadiationTolerance] of flockmates
  report mean myRT
end
```

;;this creates a new variable "flockmates" and tells the first responder agents which other agents around them are considered in their group

**to find-flockmates**

```
let FirstResponders turtles with [mineRadiationTolerance >= 1]  
set flockmates FirstResponders in-radius Communication  
end
```

;;this command series tells the first responder agents to triage civilian agents with health < 75  
;;it also reports whether the first responders are "triage-willing" based on their mineRadiationTolerance score  
;;if they are already triage-willing (mineRadiationTolerance >=4 they report "triage-willing" as 1 (TRUE)  
;;if they are triage-willing (TRUE) and have not already formed a link they will move towards the nearest civilian agent with health < 75 and form a link  
;;if they are triage-willing (FALSE) (mineRadiationTolerance < 4) they are directed to look around at their "flockmates" or neighbors and determine the mean mineRadiationTolerance of their neighbors  
;;if that subsequent mean is >= 4 then they will engage in the same triage algorithm listed above

**to triage**

```
ask doctors [set my-neighbors ( civilians with [health < 75]) in-radius 2] ;; removed "other" civilians  
ask doctors with [mineRadiationTolerance >= 4 ]  
  [set triage-willing 1]  
ask doctors with [mineRadiationTolerance >= 4 and count my-links < 1]  
  [if any? civilians with [health < 75 and triage-status < 1 ] in-radius 6  
    [set heading towards min-one-of civilians with [health < 75 and triage-status < 1] [distance myself]]  
    forward .1  
    if any? my-neighbors with [triage-status < 1] [create-links-with n-of 1 my-neighbors with [triage-  
status < 1] ]]
```

```
ask doctors with [ mineRadiationTolerance <= 3 and count my-links < 1 ]  
[ find-flockmates  
  if any? flockmates  
    [let F count flockmates  
    if F > 0  
    [ let myRT mean [mineRadiationTolerance] of flockmates  
      if myRT >= 4  
        [set triage-willing 1]  
      if myRT >= 4  
        [if any? civilians with [health < 75 and triage-status < 1 ] in-radius 6  
          [set heading towards min-one-of civilians with [health < 75 and triage-status < 1] [distance  
myself]]  
          forward .1
```

```
    if any? my-neighbors with [triage-status < 1] [create-links-with n-of 1 my-neighbors with [triage-  
status < 1] ]  
  ]]]
```

```
ask links [set color red]
```

```
tick
```

;;this directs civilian agents who have formed a link/interaction with a first responder to report they have been triaged

```
ask civilians with [  
  count my-links >= 1] [set triage-status 1]
```

;;this tells the first responders who have formed links to increase the health score of civilian agents with a starting health score >30 thus if an agent has a health score too low- they will be quickly triaged and then released but additional time will not be spent on that agent to increase their health

```
ask doctors [if any? my-links  
  [ask my-neighbors with [count my-links >= 1]  
  [if health < 75 and health > 30  
    [set health health + .1]  
  ]  
  ]]  
tick
```

```
end
```

;;this breaks the links

```
to end_triage  
  ask civilians with [count my-links >= 1 and health <= 30] [ask my-links [die]]  
  ask civilians with [count my-links >= 1 and health >= 75] [ask my-links [die]]  
end
```

;;this changes the color of the civilian based on their health score  
;;the higher the health score the darker the blue color

```
to health_status  
  ask civilians [if pcolor = 69 and count my-links = 0 and triage-status = .1 [set health health - .1]]  
  ask civilians [ set color scale-color blue health 100 0]  
end
```

;;this stops the triaged civilian agents at the far edge of the model

```
to leave-the-model  
  ask civilians [if pxcor = 39 [stop]]  
end
```

;;this directs a civilian agent with a very low health score to "die"

```
to check-death  
  ask civilians [ if health <= 5 [die]]  
end
```

;;these are patch commands which help setup the model background

```
to setup-triageEnd  
  if pxcor = 39  
    [set pcolor 45.1]  
end
```

;;these are patch commands which help setup the model background

```
to setup-triage_area  
  if pxcor >= -10 and pxcor <= 38  
    [set pcolor 45]  
  if pxcor > -8 and (pycor = 14 or pycor = -1 or pycor = -19)  
    [set pcolor 49]  
end
```